



EQUIPMENT CATALOG

INTRODUCTION

Every RCI product is designed and engineered to ensure each customer is able to safely operate all attractions for countless participants to enjoy. We have a variety of necessary equipment options to choose from for every need whether it is a new acquisition, replacement of a worn element or a desired addition.

TABLE OF CONTENTS

Sky Trail® Harnesses	2
Sky Trail® Slinglines	3
Sky Tykes® Harnesses & Slinglines	4
Emergency Take Down Kits & Pieces	5
Signs & Stickers	7
Miscellaneous	9
Clip 'n Climb® Products	11
QuickFlight Products	12

EQUIPMENT ORDERING PROCESS

- Contact your RCI Account Manager to fulfill any product equipment needs. A staff person will confirm order was received and either proceed with the order or respond with clarifying questions.
- The order will be sent to the appropriate department to be filled. Orders are processed in the order they are received.
- Quotes can be provided at request. Lead times may vary depending on which department the order applies to.
- RCI fills the order and ships items back to you upon completion.
- The RCI accounting department will send the invoice for the order once the item ships. Invoices are due net 30 days from shipment.

CONTACT INFORMATION

Aftermarket@rciadventure.com | (269) 673-0016 | TF (877) 203-0557

Trail Plus CE Harness- X-Small



Trail Plus CE Harness- Small



Trail Plus CE Harness- Medium



Trail Plus CE Harness- Large



Trail Harness- Junior (4' - 4' 8")



Trail Harness- Medium (4' 8" - 5' 5")



Trail Harness- Large (5' 6" - 6' 3")



Trail Harness- XLarge (6' 3" - 7')



*Orange slinglines designated to operators only.
 **Custom length slinglines available upon request.

Single Redundant Slingline (SRS) without wheels



SEK738489:
Brown



SEK738491:
Blue



SEK738493:
*Orange



**NOTE: Compatible with Trail Plus harnesses only*

Single Redundant Slingline (SRS) with wheels



SEK738490:
Brown



SEK738492:
Blue



SEK738494:
*Orange



**NOTE: Compatible with Trail Plus harnesses only*

CTS Zip Trolley with Dual Slingline



608600:
CTS Zip Trolley
(ZTA 17540-R3)

608602:
Brown



608601:
Blue



608603:
*Orange



**NOTE: Compatible with Trail Plus harnesses only*

RSA2 with Adjustable Buckle Slingline



SEA750915:
RSA2

608437:
Brown



608439:
Blue



608438:
*Orange



**NOTE: Compatible with Trail harnesses only*

*Orange slinglines designated to operators only.
**Custom length slinglines available upon request.

Fraggle Sky Tykes® - XXS Oasis Harness



Trail Plus CE Harness- X-Small



Sky Tykes® Single Redundant Slingline (SRS) without wheels



**NOTE: Compatible with Fraggle Sky Tykes® XXS Oasis Harness and Trail Plus*

Sky Tykes® Single Redundant Slingline (SRS) with wheels



**NOTE: Compatible with Fraggle Sky Tykes® XXS Oasis Harness and Trail Plus*



**ETK
with RSA2
SEP749684**



**Sky Rail™
Retrieval Kit
SEP749681**



**Sewn Belay Rope
Orange
SEP759797**



**Sewn Belay Rope
Tan
SEP759458**



**Cypher HMS Sawtooth
Anodized Twistlock
Carabiner
SEP752975**



**Omega Jake TL
Pewter/Seafoam
Green
SEP752853**



**Steel ETK
Carabiner
SEP752976**



**RSI Rescue 8
Aluminum
SEP752852**



**Rescue 8
Steel
SEP752846**



**Sky Tykes®
ETK Scissor Assembly**
SEP749683



Safety Scissors
SEP752977



**Red Bag (ETK)
Standard**
SEP759157



**Red Bag (ETK)
Large**
(3+ Level Sky Trail®)
SEP759156



**Yellow Bag
(Sky Rail™ Retrieval)
Standard**
SEP759155



**Yellow Bag
(Sky Rail™ Retrieval)
Large**
(3+ Level Sky Trail®)
SEP752844

Rule Signs & Stickers

Use our product stickers to boldly enhance your RCI attractions or spruce up the entrance to your Sky Trail® with an updated rule sign and/or SRS sticker.

ATTRACTION RULES

General Rules:

- Must be able to understand and demonstrate knowledge of all safety rules and the course environment to experience the attraction without a responsible chaperone.
- Participating while under the influence of drugs or alcohol is prohibited.
- Cell phones are NOT allowed on attraction.
- Maximum weight is 300lbs (136kg).
- Must be 48" (122cm) tall to participate without a chaperone.
- Must safely fit in the harness.
- Ensure that shoes are secure. No bare feet, flip flops or open heel shoes. Make sure shoelaces are tied.
- Pockets must be empty. No loose objects such as cell phones or cameras. Eyeglasses should be secure. Operators are not responsible for lost or misplaced personal items.
- No gum, food or drinks allowed on attraction.
- Follow all operator instructions and posted rules signs or stickers.
- Only 1 participant on an activity at a time except if child is being assisted by responsible chaperone.
- No running, jumping, swinging in harness or horsplay. Operators reserve the right to equal participants displaying these behaviors.
- The redundant dangle should stay in front of and between shoulders at all times.
- Do not touch the overhead tracking system or tamper with harness or redundant dangle.

Attraction is not recommended for guests with the following conditions or any history of physical conditions that may be aggravated by these attractions:

24" x 36"

ATTRACTION RULES

General Rules:

- Must be able to understand and demonstrate knowledge of all safety rules and the course environment to experience the attraction without a responsible chaperone.
- Participating while under the influence of drugs or alcohol is prohibited.
- Cell phones are NOT allowed on attraction.
- Maximum weight is 300lbs (136kg).
- Must be 48" (122cm) tall to participate without a chaperone.
- Must safely fit in the harness.
- Ensure that shoes are secure. No bare feet, flip flops or open heel shoes. Make sure shoelaces are tied.
- Pockets must be empty. No loose objects such as cell phones or cameras. Eyeglasses should be secure. Operators are not responsible for lost or misplaced personal items.
- No gum, food or drinks allowed on attraction.
- Follow all operator instructions and posted rules signs or stickers.
- Only 1 participant on an activity at a time except if child is being assisted by responsible chaperone.
- No running, jumping, swinging in harness or horsplay. Operators reserve the right to equal participants displaying these behaviors.
- The redundant dangle should stay in front of and between shoulders at all times.
- Do not touch the overhead tracking system or tamper with harness or redundant dangle.

Sky Rail™ Rules:

- Only 1 participant on the Sky Rail™ at a time.
- Must be in a seated position in the harness. Do not hold yourself up while zipping.
- No horsplay, running or jumping off the platforms, kicking and falling legs or flipping upside down while zipping. Operators reserve the right to equal participants displaying these behaviors.
- Do not hang on or strike gates.
- Walk through bridle and exit the landing platform.
- Use the emergency exit track for backing out from the takeoff platform.

Attraction is not recommended for guests with the following conditions or any history of physical conditions that may be aggravated by these attractions:

24" x 36"

ATTRACTION RULES

General Rules:

- Maximum height is 48" (122cm) tall.
- Must be accompanied by responsible chaperone.
- Must safely fit in the harness.
- Ensure that shoes are secure. No flip flops or open heel shoes. Make sure shoelaces are tied.
- Pockets must be empty. Eyeglasses should be secure. Operators are not responsible for lost or misplaced personal items.
- No gum, food or drinks allowed on attraction.
- Only 1 participant on an activity at a time.
- No running, jumping, swinging in harness or horsplay. Operators reserve the right to equal participants displaying these behaviors.
- The redundant dangle should stay in front of and between shoulders at all times.
- Do not touch the overhead tracking system or tamper with harness or redundant dangle.
- No zip lining down the stairs.
- Lift gates are for chaperone use only. They must be in the closed position before the participant can cross the beam.

Attraction is not recommended for guests with the following conditions or any history of physical conditions that may be aggravated by these attractions:

24" x 36"

ATTRACTION RULES

General Rules:

- Maximum height is 48" (122cm) tall.
- Must be accompanied by responsible chaperone.
- Must safely fit in the harness.
- Ensure that shoes are secure. No flip flops or open heel shoes. Make sure shoelaces are tied.
- Pockets must be empty. Eyeglasses should be secure. Operators are not responsible for lost or misplaced personal items.
- No gum, food or drinks allowed on attraction.
- Only 1 participant on an activity at a time.
- No running, jumping, swinging in harness or horsplay. Operators reserve the right to equal participants displaying these behaviors.
- The redundant dangle should stay in front of and between shoulders at all times.
- Do not touch the overhead tracking system or tamper with harness or redundant dangle.
- No zip lining down the stairs.
- Lift gates are for chaperone use only. They must be in the closed position before the participant can cross the beam.

Sky Rail™ Rules:

- Only 1 participant on the Sky Rail™ at a time.
- Must be in a seated position in the harness. Do not hold yourself up while zipping.
- No horsplay, running or jumping off the platforms, kicking and falling legs or flipping upside down while zipping. Operators reserve the right to equal participants displaying these behaviors.
- Do not hang on or strike gates.
- Walk through bridle and exit the landing platform.
- Chaperones: Do not push your child to accelerate them down the Sky Rail™.
- Chaperones: Ensure path and landing platform are clear before allowing your child to ride the Sky Rail™.

Attraction is not recommended for guests with the following conditions or any history of physical conditions that may be aggravated by these attractions:

24" x 36"

ATTRACTION RULES

Clip 'n Climb™ Rules:

- Cell phones are NOT permitted on the attraction.
- Maximum weight is 300lbs (136kg).
- Must be 42" (106cm) tall to participate.
- Must safely fit in the harness.
- Follow all operator instructions, posted rules, signs and stickers.
- Ensure that shoes are secure. No flip flops or open heel shoes. Make sure shoelaces are tied.
- Pockets must be empty. No loose objects such as cell phones or cameras.
- Remove all jewelry. Eyeglasses should be secure. Operators are not responsible for lost or misplaced personal items.
- No gum, food or drinks allowed on attraction.
- Long hair must be tied back.
- No running, jumping or horsplay. Operator reserves the right to equal participants displaying these behaviors.
- Do not climb until you are clipped into the Auto Belay.

Attraction is not recommended for guests with the following conditions or any history of physical conditions that may be aggravated by these attractions:

24" x 36"

ATTRACTION RULES

General Rules:

- Cell phones, cameras and electronics are strictly prohibited from being used or carried on to the attraction.
- Maximum weight is 250lbs (113kg). Minimum weight is 40lbs (18kg).
- Follow all operator instructions and posted rules signs and stickers.
- Must wait for operator instruction to leave platform.
- Do not pull down on the QuickFlight webbing or wrap the webbing around any part of your body.
- When ready to descend, step straight down off platform, feet first.
- Do not attempt to flip upside down while descending.
- Do not sit on the platform prior to descent.
- Take care when landing and put feet down.
- Only 1 participant is allowed to jump at a time.
- Participants should be dry and wearing clothing that covers their shoulders and thighs. Participants should also have no pants or shorts, no skirts or dresses.

Attraction is not recommended for guests with the following conditions: pregnancy, neck problems, back problems, joint problems, heart problems, recent surgery, head/neck issues or any history of physical conditions that may be aggravated by these attractions.

24" x 36"

ATTRACTION RULES

General Rules:

- Cell phones or cameras are NOT allowed on attraction.
- Maximum weight is 250lbs (113kg). Minimum weight is 35lbs (16kg).
- Follow all operator instructions, posted rules, signs and stickers.
- Must wait for operator approval before leaving platform.
- Do not pull down on the QuickJump webbing or wrap the webbing around any part of your body.
- When ready to descend, step straight down off platform, feet first.
- Do not attempt to flip upside down while descending.
- Do not sit on the platform prior to descent.
- Take care when landing and put feet down.
- Only 1 participant is allowed to jump at a time.

Attraction is not recommended for guests with the following conditions or any history of physical conditions that may be aggravated by these attractions:

24" x 36"

*Note: Your Account Manager will ensure the correct rule signs are ordered for the attraction at your location.

7

Data Plates



4" x 8"



4" x 8"



4" x 8"



4" x 8"



4" x 8"




4" x 8"


SRS & Pre-Flight Check Stickers




SEP738592
3" x 22"




SEP749645
3" x 9"



SEP750590
3" x 10"



SEP749461
3" x 9"



SEP749241
3" x 9"

Attraction Identification Stickers



SEP749649
7.25" x 29"



SEP749653
3.25" x 13.25"



SEP749652
8.5" x 34"

*Note: Ask your Account Manager for additional sticker options.



Finger Key
SEP749690



Locking Carabiner
SEP751879



**Custom 9/16" Double
Cable Sleeve**
(Tapered for Sky Rail™
Trolleys)
SEP751850



**Double Cable Sleeve
for RSA2**
SEP752760



Split Puck
SEP188288



**Steel Sky Rail™
Trolley Rebuild Kit**
SEP749687



Nylon Insert Locknut
NM8-1.25NLSSA2PF
**Note: Single-Use ONLY.*




Track Stop Regular
SEP749691



Rescue Tape
SEP752842



**Grinding Disc
Assembly**
SEP761250



**Track Block Off Kit
Tan**
TYA57422



**Track Block Off Kit
Blue**
TYA57422



Harness Keepers
SEP749659



Harness Rack
HR15_R4

**Note: SRS compatible and additional color options available.*



Cap Nuts

**Note: Contact your Account Manager for sizes.*

*Partial Rebuild Kits	
Sky Rail™ TSA Wheel Rebuild Kit:	SRK738469
Sky Rail™ TSA Cable Guard Kit:	SRP752772
Full TSA Rebuild Kit:	SRK752753
TSA Cable Guard Kit:	SEK752754

Miscellaneous Items	
Loctite:	TYP752803
Anti-Seize:	TYP752804



TruBlue® Speed
TYP754985

**Note: This item is only available for Clip 'n Climb® Speed Climb Walls.*



TruBlue® Auto Belay
TB4000



Self-Belay
TYA753114



Delta-links
TYP755221




TruBlue® Speed Replacement Webbing
CCP761517

**Note: Contact your RCI Account Manager.*



TruBlue® Replacement Webbing
CCP761516

**Note: Contact your RCI Account Manager.*



Landing Pad
TYP750000

**Note: Additional colors available.*



Training Unit

AUTHORIZED DISTRIBUTOR OF



RCI is an authorized distributor of Headrush Technologies products and your RCI Account Manager can assist you with QuickFlight or TRUBLUE® replacement webbing to new units, D-rings, annual re-certifications and more. Recertification of TRUBLUE® auto belays must be completed with Headrush Technologies to ensure proper operation. An Authorized Service Center can perform the recertification process when the unit is dropped off in person at a Service Center or shipped directly via online purchase. Please visit <https://headrushtech.com> for more details on the recertification process or contact your RCI Account Manager.

QUICK FLIGHT



QuickFlight Unit

**Note: Model determined by site needs.*



QuickFlight Mounting Kit TYP758452



Replacement Ripcord Webbing (Regular or XL) SEP760603 QF



QuickFlight Upper Webbing Replacement SEP760601 QF



QUICKjump Redundant Leash / Carabiner Assembly QJA751547



QUICKjump XL Replacement Webbing QJP751548



Blue HMS Twistlock Carabiner for QUICKjump QJP751560

AUTHORIZED DISTRIBUTOR OF



RCI is an authorized distributor of Headrush Technologies products and your RCI Account Manager can assist you with QuickFlight or TRUBLUE® replacement webbing to new units, D-rings, annual re-certifications and more. Recertification of TRUBLUE® auto belays must be completed with Headrush Technologies to ensure proper operation. An Authorized Service Center can perform the recertification process when the unit is dropped off in person at a Service Center or shipped directly via online purchase. Please visit <https://headrushtech.com> for more details on the recertification process or contact your RCI Account Manager.



CONTACT

1300 Lincoln Rd | Allegan, MI 49010
(269) 673-0016 | TF: (877) 203-0557

www.rciadventure.com |



v. 11.19-EQC

Patents: www.rciadventure.com/patents